

**RESPIRATORY
REVIEW**

2006

ACPRC

Journals Reviewed

- American Journal of Respiratory and Critical Care Medicine
- Anaesthesia
- **Australian Journal of Physiotherapy**
- British Journal of Anaesthesia
- British Medical Journal
- Chest
- Journal of Advanced Nursing
- Lancet
- New England Journal of Medicine
- New Zealand Journal of Physiotherapy
- Pediatric Pulmonology
- Pediatric Respiratory Reviews
- Physical Therapy Reviews
- Physiotherapy Canada
- Thorax

Reviewers

Many thanks to the following for their sterling work:

- Jennifer Burrows
- Nicki Garner
- **Amanda Horton**
- Fidelma Moran
- Béatrice Oberwaldner
- Brenda O'Neill
- Jennifer Pryor
- Jane Toms
- Alex Wilson

Contents

• Acute lung injury and ARDS	3
• Assessment	3
• Asthma	3-4
• Breathlessness	4
• Bronchiectasis	4
• Cardiac surgery	4
• Cardiology	4
• COPD	5-6
• Cough	6
• Critical care	6
• Cystic fibrosis	6-7
• Exercise	7
• General	7
• HIV	7
• Hyperventilation syndrome	8
• Inspiratory muscle training	8
• Interstitial lung disease	8
• Mechanical ventilation	8
• Medication	8
• Neonates	9
• Neurological disorders	9
• Non-invasive ventilation	9
• Obstructive sleep apnoea	10
• Oxygen therapy	10
• Paediatrics	10
• Palliative care	10
• Physiology	11
• Primary ciliary dyskinesia	11
• Respiratory disease	11
• Respiratory physiotherapy	11
• Sepsis	11
• Sputum clearance	11
• Surgery	12
• Tracheostomy	12
• Transplantation	12
• Weaning	12

ACUTE LUNG INJURY AND ARDS

Borges JB, Okamoto VN, Matos GF, Carames MP, Arantes PR, Barros F, Souza CE, Victorino JA, Kacmarek RM, Barbas CS, Carvalho CR, Amato MB.

Reversibility of lung collapse and hypoxemia in early acute respiratory distress syndrome.

Am J Respir Crit Care Med. 2006; 174(3):268-78.

Cheung AM, Tansey CM, Tomlinson G, Diaz-Granados N, Matte A, Barr A, Mehta S, Mazer CD, Guest CB, Stewart TE, Al-Saidi F, Cooper AB, Cook D, Slutsky AS, Herridge MS.

Two-year outcomes, health care use, and costs of survivors of acute respiratory distress syndrome.

Am J Respir Crit Care Med. 2006; 174(5): 538-44.

Dulu A, Pastores SM, Park B, Riedel E, Rusch V, Halpern NA.

Prevalence and mortality of acute lung injury and ARDS after lung resection.

Chest, 2006; 130: 73-78.

Frerichs I, Dargaville PA, van Genderingen H, Morel DR, Rimensberger PC.

Lung volume recruitment after surfactant administration modifies spatial distribution of ventilation.

Am J Respir Crit Care Med. 2006;174(7): 772-9.

Galiatsou E, Kostanti E, Svarna E, Kitsakos A, Koulouras V, Efremidis SC, Nakos G.

Prone position augments recruitment and prevents alveolar overinflation in acute lung injury.

Am J Respir Crit Care Med. 2006; 174(2):187-97.

Gattinoni L, Caironi P, Cressoni M, Chiumello D, Ranieri VM, Quintel M, Russo S, Patronitti N, Cornejo R, Bugedo G.

Lung recruitment in patients with the acute respiratory distress syndrome.

New Eng J Med. 2006; 354(17):1775-1786.

Kacmarek RM, Wiedemann HP, Lavin PT, Wedel MK, Tutuncu AS, Slutsky AS.

Partial liquid ventilation in adult patients with acute respiratory distress syndrome.

Am J Respir Crit Care Med. 2006;173(8): 882-9.

Mancebo J, Fernandez R, Blanch L, Rialp G, Gordo F, Ferrer M, Rodriguez F, Garro P, Ricart P, Vallverdu I, Gich I, Castano J, Saura P, Dominguez G, Bonet A, Albert RK.

A multicenter trial of prolonged prone ventilation in severe acute respiratory distress syndrome.

Am J Respir Crit Care Med. 2006; 173(11): 1233-9.

Mickleborough TK, Lindley MR, Ionescu AA, Fly AD.

Protective effect of fish oil supplementation on exercise-induced bronchoconstriction in asthma.

Chest, 2006; 129: 39-49.

Mols G, Priebe HJ, Guttmann J.

Alveolar recruitment in acute lung injury.

Br J Anaesth. 2006; 96(2): 156-166

Sinclair A, Kregenow DA, Ian Starr I.

Therapeutic hypercapnia and ventilation-perfusion matching in Acute Lung Injury.

Chest, 2006; 130: 85-92.

Tsuchida S, Engelberts D, Peltekova V, Hopkins N, Frndova H, Babyn P, McKerlie C, Post M, McLoughlin P, Kavanagh BP.

Atelectasis causes alveolar injury in nonatelectatic lung regions.

Am J Respir Crit Care Med. 2006; 174(3): 279-89.

ASSESSMENT

Aggarwal AN, Gupta D, Jindal SK.

The relationship between FEV₁ and peak expiratory flow in patients with airways obstruction is poor.

Chest, 2006; 130: 1454-1461.

Brightling CE.

Clinical applications of induced sputum.

Chest, 2006; 129: 1344-1348.

Chen H, Eisner MD, Katz PP.

Measuring disease-specific quality of life in obstructive airway disease: validation of a modified version of the Airways Questionnaire 20.

Chest, 2006; 129: 1644-1652.

Price DB, Tinkelman DG, Nordyke RJ.

Scoring system and clinical application of COPD questionnaires.

Chest, 2006;129: 1531-9.

Win T, Jackson A, Groves AM, Sharples LD.

Comparison of shuttle walk with measured peak oxygen consumption in patients with operable lung cancer.

Thorax, 2006; 61: 57-60.

ASTHMA

Adams RJ, Wilson DH, Taylor AW, Daly A.

Coexistent chronic conditions and asthma quality of life.

Chest 2006, 129: 285-291.

Beuther DA, Martin RJ.

Efficacy of a heat exchanger mask in cold exercise-induced asthma.

Chest, 2006; 129: 1188-1193,

Debley JS, Carter ER, Redding GJ.

Prevalence and impact of gastroesophageal reflux in adolescents with asthma: a population-based study.

Pediatr Pulmonol. 2006; 4138: 475-481.

Eder W, Ege MD, Von Mutius E.

The asthma epidemic.

New Eng J Med. 2006; 355(21): 2226-2235.

Guilbert TW, Morgan WJ, Zeiger RS, Mauger DT, Boehmer SJ, Szeffler SJ, Bacharier LB, Lemanske RF, Strunk RC, Allen DB, Bloomberg GR, Heldt G, Krawiec M, Larsen G, Liu AH, Chinchilli VM, Sorkness CA, Taussig LM, Martinez FD.
Long-term inhaled corticosteroids in preschool children at high risk for asthma.

New Eng J Med. 2006; 354(19): 1985-1997.

Holgate ST, Polosa R.

The mechanisms, diagnosis, and management of severe asthma in adults.

Lancet. 2006; 368 (9537): 780-93. .

Li AM, Tsang T, Chan D, Lam HS, So HK, Sung RYT, Fok TF.

Sputum induction in children with asthma.

Pediatr Pulmonol. 2006; 41: 720-725.

Mahler DA, Waterman LA, Ward J, Baird JC.

Continuous ratings of breathlessness during exercise by children and young adults with asthma and healthy controls.

Pediatr Pulmonol. 2006; 41: 812-818.

Marra FM, Lynd L, Coombes M.

Does antibiotic exposure during infancy lead to development of asthma?

Chest, 2006; 129: 610-618.

Nordenstedt H, Nilsson M.

The relation between gastroesophageal reflux and respiratory symptoms in a population-based study.

Chest, 2006; 129: 1051-1056.

O'Byrne PM, Parameswaran K.

Pharmacological management of mild or moderate persistent asthma.

Lancet. 2006; 368 (9537): 794-803. .

Rees J.

Asthma control in adults

BMJ, 2006; 332: 767-771

Slader CA, Reddel HK, Spencer LM, Belousova EG, Armour CL, Bosnic-Anticevich SZ, Thien FCK, Jenkins CR.

Double blind randomised controlled trial of two different breathing techniques in the management of asthma

Thorax, 2006; 61: 651-656.

Walders N, Kerckmar C, Schluchter M.

An interdisciplinary intervention for undertreated pediatric asthma.

Chest, 2006 129: 292-299.

BREATHLESSNESS

Coli C, Monica Picariello M.

Is there a link between the qualitative descriptors and the quantitative perception of dyspnea in asthma?

Chest, 2006; 130: 436-441.

Nava S, Cuomo A, Maugeri FS.

Noninvasive ventilation and dyspnea in palliative medicine

Chest, 2006; 129: 1391-1392 (letter).

BRONCHIECTASIS

Torrego A, Haque RA, Nguyen LT, Hew M.

Capsaicin cough sensitivity in bronchiectasis

Thorax, 2006; 61: 706-709.

CARDIAC SURGERY

Newman MF, Mathew JP, Grocott HP, Mackensen GB, Monk T, Welsh-Bohmer KA, Blumenthal JA, Laskowitz DT, Mark DB.

Central nervous system injury associated with cardiac surgery.

Lancet. 2006 Aug 19;368 (9536): 694-703.

CARDIOLOGY

Peter JV, Moran JL, Phillips-Hughes J, Graham P, Bersten AD.
Effect of non-invasive positive pressure ventilation (NIPPV) on mortality in patients with acute cardiogenic pulmonary oedema: a meta-analysis.

Lancet. 2006; 367(9517): 1155-63. .

Mandic S, Riess K, Haykowsky MJ 2006.

Exercise training for individuals with coronary artery disease or heart failure.

Physiother Canada, 2006; 58(1): 21-28

Manuel DG, Kwong K.

Effectiveness and efficiency of different guidelines on statin treatment for preventing deaths from coronary heart disease

BMJ 2006;332:1419

Torchio R, Gulotta C.

Orthopnea and tidal expiratory flow limitation in chronic heart failure.

Chest, 2006; 130: 472-479.

Wittmer VL, Simoes GMS.

Effects of Continuous Positive Airway Pressure on pulmonary function and exercise tolerance in patients with congestive heart failure.

Chest, 2006; 130: 157-163.

Baker EH, Janaway CH, Philips BJ.

Hyperglycaemia is associated with poor outcomes in patients admitted to hospital with acute exacerbations of chronic obstructive pulmonary disease

Thorax 2006; 61: 284-289.

Crowe J, Geddes EL, Brooks D, Reid D.

Inspiratory muscle training for individuals with 2006; cervical spinal cord injury or chronic obstructive pulmonary disease.

Physiotherapy Canada, 58(4): 271-279

Croxton TL, Bailey WC.

Long-term oxygen treatment in chronic obstructive pulmonary disease: recommendations for future research: an NHLBI workshop report.

Am J Respir Crit Care Med. 2006; 174(4): 373-8.

Dolmage TE, Goldstein RS.

Response to one-legged cycling in patients with COPD.

Chest, 2006; 129: 325-332.

Dourado VZ, Antunes LCO, Erico S, Tanni E.

Relationship of upper-limb and thoracic muscle strength to 6-min walk distance in COPD patients.

Chest, 2006; 129: 551-557.

Eves ND, Petersen SR, Haykowsky MJ, Wong EY, Jones RL.
Helium-hyperoxia, exercise, and respiratory mechanics in chronic obstructive pulmonary disease.

Am J Respir Crit Care Med. 2006; 174(7): 63-71.

Fraser DD

Living with chronic obstructive pulmonary disease: insiders' perspectives.

J Adv Nurs. 2006; 55 (5): 550-8

Garcia-Aymerich J, Lange J, Benet M, Schnohr P.

Regular physical activity reduces hospital admission and mortality in chronic obstructive pulmonary disease: a population based cohort study

Thorax, 2006; 61: 772-778.

Gupta R, Brooks D.

Aerobic exercise for individuals with chronic obstructive pulmonary disease.

Physiother Canada, 2006; 58(3): 179-186

Gupta RB, Brooks D, Lacasse Y, Goldstein RS.

Effect of rollator use on health-related quality of life in individuals with COPD.

Chest, 2006; 130: 1089-1095.

Koppers RHJ, Vos PJE, Boot CRL.

Exercise performance improves in patients with COPD due to respiratory muscle endurance training

Chest, 2006; 129: 886-892.

Laude EA, Duffy NC, Baveystock C, Dougill B, Campbell MJ, Lawson R, Jones PW, Calverley PM.

The effect of helium and oxygen on exercise performance in chronic obstructive pulmonary disease: a randomized crossover trial.

Am J Respir Crit Care Med. 2006; 173(8): 865-70.

Lundh L.

Care of patients with chronic obstructive pulmonary disease in primary health care.

J Adv Nurs., 2006; 56 (3): 237-46

Lusuardi M, DeBenedetto F, Paggiaro, P.

A randomized controlled trial on office spirometry in asthma and COPD in standard general practice.

Chest, 2006; 129, 844-852 (see also editorial).

O'Donnell DE, Parker CM.

COPD exacerbations · 3: Pathophysiology

Thorax, 2006; 61: 354-361.

Peters MM, Webb KA, O'Donnell DE.

Combined physiological effects of bronchodilators and hyperoxia on exertional dyspnoea in normoxic COPD

Thorax, 2006; 61: 559-567.

Pitta F, Troosters T, Probst VS.

Physical activity and hospitalization for exacerbation of COPD.

Chest, 2006; 129: 536-544.

Poole KES, Compston JE.

Osteoporosis and its management

BMJ, 2006; 333:1251-1256

Rodriguez-Roisin R.

COPD exacerbations · 5: Management

Thorax, 2006; 61: 535-544.

Sapey E, Stockley RA.

COPD exacerbations · 2: Aetiology

Thorax 2006; 61: 250-258.

Steinmetz J, Rasmussen LS, Nielsen SL.

Long-term prognosis for patients with COPD treated in the prehospital setting: is it influenced by hospital admission?

Chest, 2006; 130: 676-680.

Thomas AJ.

Chronic obstructive pulmonary disease: the contribution of skeletal muscle dysfunction to exercise tolerance.

Phys Ther Rev. 2006; 11(1): 62-66.

Velloso M, Jardim JR.

Study of energy expenditure during activities of daily living using and not using body position recommended by energy conservation techniques in patients with COPD

Chest, 2006; 130: 126-132.

Vivodtzev I, Pepin J-L, Vottero G.

Improvement in quadriceps strength and dyspnea in daily tasks after 1 month of electrical stimulation in severely deconditioned and malnourished COPD.

Chest, 2006; 129, 1540-1548

Donaldson GC, Wedzicha JA.

COPD exacerbations · 1: Epidemiology

Thorax, 2006; 61: 164-168

Wouters EF.

Muscle wasting in chronic obstructive pulmonary disease: to bother and to measure!

Am J Respir Crit Care Med. 2006;173(1): 4-5.

COUGH

Irwin RS, Ownbey R, Cagle PT, Baker S.

Interpreting the histopathology of chronic cough.

Chest, 2006; 130: 362-370.

Kwon N-H, Oh M-J, Min T-H.

Causes and clinical features of subacute cough.

Chest, 2006; 129, 1142-1147 (plus editorial).

Marchant JM, Masters IB, Taylor SM.

Evaluation and outcome of young children with chronic cough.

Chest, 2006; 129, 1132-1141

CRITICAL CARE

Artinian VA, Krayem H, DiGiovine B.

Effects of early enteral feeding on the outcome of critically ill mechanically ventilated medical patients.

Chest, 2006; 129: 960-967.

Denehy L, Berney S.

Physiotherapy in the intensive care unit.

Phys Ther Rev 2006; 11(1): 49-56.

Griffiths JA, Barber VS, Cuthbertson BH, Young JD.

A national survey of intensive care follow-up clinics.

Anaesthesia. 2006; 61(10): 950-5.

Hardin KH, Seyal M, Stewart T.

Sleep in critically ill chemically paralyzed patients requiring mechanical ventilation

Chest, 2006; 129: 1468-1477.

Hopkins RO, Jackson JC.

Long-term neurocognitive function after critical illness.

Chest, 2006; 130: 869-878.

Huang L, Quartin A, Jones D, Havlir DV.

Intensive care of patients with HIV infection.

New Eng J Med. 2006; 355(2): 173-181.

Laupland KB, Kirkpatrick AW, Kortbeek JB.

Long-term mortality outcome associated with prolonged admission to the ICU.

Chest, 2006; 129: 954-959.

Moss M, Burnham EL.

Alcohol abuse in the critically ill patient.

Lancet. 2006; 368(9554): 2231-42.

Numata Y.

Nurse staffing levels and hospital mortality in critical care settings: literature review and meta-analysis.

J Adv Nurs. 2006; 55 (4): 435-48

CYSTIC FIBROSIS

Cakir E, Uyan ZS, Ersu H, Karadag B, Karakoc F, Dagli E.

Mucoid impaction: an unusual form of allergic bronchopulmonary aspergillosis in a patient with cystic fibrosis.

Pediatr Pulmonol. 2006; 41: 1103-1107.

Cunha MT, Rozov T, de Oliveira RC, Jardim JR.

Six-minute walk test in children and adolescents with cystic fibrosis.

Pediatr Pulmonol. 2006; 41: 618-622.

Donaldson SH, Bennett WD, Zeman KL, Knowles MR, Tarran R, Boucher RC.

Mucus clearance and lung function in cystic fibrosis with hypertonic saline.

New Eng J Med. 2006; 354(3): 241-250.

Falk B, Nini A, Zigel L, Yahav Y, Aviram M, Rivlin J, Bentur L, Avital A, Dotan R, Blau H.

Effect of low altitude at the Dead Sea on exercise capacity and cardiopulmonary response to exercise in cystic fibrosis patients with moderate to severe lung disease.

Pediatr Pulmonol. 2006; 41: 234-241.

Hafen GM, Ranganathan SC, Robertson CF, Robinson PF.

Clinical scoring systems in cystic fibrosis.

Pediatr Pulmonol. 2006; 41: 602-617.

Kalish LA, Waltz DA, Dovey M, Potter-Bynoe G, McAdam AJ, Lipuma JJ, Gerard C, Goldmann D.

Impact of *Burkholderia dolosa* on lung function and survival in cystic fibrosis.

Am J Respir Crit Care Med. 2006; 173(4): 421-5.

McMullen AH, Pasta DJ, Frederick PD.

Impact of pregnancy on women with cystic fibrosis.

Chest, 2006; 129: 706-711.

Mussaffi H, Prais D, Mei-Zahav M, Blau H.

Cystic fibrosis mutations with widely variable phenotype: the D1152H example.

Pediatr Pulmonol. 2006; 41: 250-254.

Porter SR, Scully C

Oral malodour (halitosis)

BMJ, 2006; 333: 632-635

Prasad SA, Balfour-Lynn IM, Carr SB, Madge SL.

A comparison of the prevalence of urinary incontinence in girls with cystic fibrosis, asthma, and healthy controls.

Pediatr Pulmonol. 2006; 41: 1065-1068.

Prasad SA, Main E.

Routine airway clearance in asymptomatic infants and babies with cystic fibrosis in the UK: obligatory or obsolete?

Phys Ther Re. 2006; 11(1): 11-20.

Rao DS, Infeld MD, Stern RC, Chelimsky TC.

Cough-induced hemiplegic migraine with impaired consciousness in cystic fibrosis.

Pediatr Pulmonol. 2006; 41: 171-176.

Shoseyov D, Brownlee KG, Conway SP, Kerem E.

Aspergillus bronchitis in cystic fibrosis.

Chest, 2006; 130: 222-226.

Stephenson A, Jamal S, Dowdell T.

Prevalence of vertebral fractures in adults with cystic fibrosis and their relationship to bone mineral density

Chest, 2006; 130: 539-544.

Stites SW, Perry GV, Peddicord T, Cox G, McMillan C, Becker B.

Effect of high-frequency chest wall oscillation on the central and peripheral distribution of aerosolized diethylene triamine penta-acetic acid as compared to standard chest physiotherapy in cystic fibrosis.

Chest, 2006; 129: 712-717.

Taylor L, Corey M, Matlow A, Sweezey NB, Ratjen F.

Comparison of throat swabs and nasopharyngeal suction specimens in non-sputum producing patients with cystic fibrosis.

Pediatr Pulmonol. 2006; 41: 839-843.

EXERCISE

Dolmage TE, Goldstein RS.

Response to one-legged cycling in patients with COPD.

Chest, 2006; 129: 325-332.

Dolmage TE, Goldstein RS.

Principles of aerobic testing and training.

Physiother Canada, 2006; 58(1): 8-20

Eves ND, Petersen SR, Haykowsky MJ, Wong EY, Jones RL.

Helium-hyperoxia, exercise, and respiratory mechanics in chronic obstructive pulmonary disease.

Am J Respir Crit Care Med. 2006; 174(7): 763-71.

Gupta R, Brooks D.

Aerobic exercise for individuals with chronic obstructive pulmonary disease.

Physiother Canada, 2006; 58(3): 179-186

Koppers RHJ, Vos PJE, Boot CRL.

Exercise performance improves in patients with COPD due to respiratory muscle endurance training

Chest, 2006; 129: 886-892.

Laude EA, Duffy NC, Baveystock C, Dougill B, Campbell MJ, Lawson R, Jones PW, Calverley PM.

The effect of helium and oxygen on exercise performance in chronic obstructive pulmonary disease: a randomized crossover trial.

Am J Respir Crit Care Med. 2006; 173(8): 865-70.

Leung ASY, Keung KK, Chan KK.

Reliability, validity, and responsiveness of a 2-Min Walk Test to assess exercise capacity of COPD patients.

Chest, 2006; 130: 119-125.

Mandic S, Riess K, Haykowsky MJ 2006.

Exercise training for individuals with coronary artery disease or heart failure.

Physiother Canada, 2006; 58(1): 21-28

O'Brien K, Nixon S, Tynan AM, Glazier RH.

Aerobic exercise for people living with HIV/AIDS: implications for practice, education and research.

Physiother Canada, 2006; 58(2): 114-129

GENERAL

Haxby Abbott J.

Contributorship, ethics, and integrity: preparing and submitting a manuscript for publication (Editorial)

New Zealand J Physiother., 2006; 34(1): 1-2.

Horner D, Larmer PJ.

Health outcome measures

New Zealand J Physiother. 2006; 34(1): 17-24.

Koumbourlis AC.

Scoliosis and the respiratory system.

Paed Resp Rev 2006; 7: 152-160.

Kubzansky LD, Sparrow L, Jackson B.

Angry breathing: a prospective study of hostility and lung function in the Normative Aging Study

Thorax, 2006; 61: 863-868.

HIV

Huang L, Quartin A, Jones D, Havlir DV.

Intensive care of patients with HIV infection.

New Eng J Med. 2006; 355(2):173-181.

O'Brien K, Nixon S, Tynan AM, Glazier RH.

Aerobic exercise for people living with HIV/AIDS: implications for practice, education and research.

Physiother Canada, 2006; 58(2): 114-129

HYPERVENTILATION SYNDROME

Barr Taylor C.

Panic disorder

BMJ, 2006; 332: 951-955

Dicpinigaitis PV, Tso R, Banauch G.

Prevalence of depressive symptoms among patients with chronic cough.

Chest, 2006; 130: 1839-1843.

Mikita, J, Parker, J.

High levels of medical utilization by ambulatory patients with vocal cord dysfunction.

Chest, 2006; 129, 905-908 (see also editorial).

Prys-Picard CO, Kellett F, Niven RM.

Disproportionate breathlessness associated with deep sighing breathing in a patient presenting with difficult-to-treat asthma.

Chest, 2006; 130: 1723-1725.

Rowley J, Nicholls D.

Development of the RoBE self-efficacy scale for people with breathing pattern disorders

New Zealand J Physiother. 2006; 34(3): 131-141.

Smith MD, Russell A, Hodges PW.

Disorders of breathing and continence have a stronger association with back pain than obesity and physical activity.

Aust J Phys. 2006; 52 (1): 11-16.

Vertigan AE, Theodoros DG, Gibson PG, Winkworth AL.

Efficacy of speech pathology management for chronic cough: a randomised placebo controlled trial of treatment efficacy

Thorax, 2006; 61: 1065-1069.

INSPIRATORY MUSCLE TRAINING

Crowe J, Geddes EL, Brooks D, Reid D.

Inspiratory muscle training for individuals with 2006; cervical spinal cord injury or chronic obstructive pulmonary disease.

Physiotherapy Canada, 58(4): 271-279

Koppers RHJ, Vos PJE, Boot CRL.

Exercise performance improves in patients with COPD due to respiratory muscle endurance training

Chest, 2006; 129: 886-892.

INTERSTITIAL LUNG DISEASE

Caplan-Shaw CE, Arcasoy SM, Shane E.

Osteoporosis in diffuse parenchymal lung disease

Chest, 2006; 129: 140-146.

Flaherty KR, Andrei AC, Murray S, Fraley C, Colby TV, Travis WD, Lama V, Kazerooni EA, Gross BH, Toews GB, Martinez FJ.

Idiopathic pulmonary fibrosis: prognostic value of changes in physiology and six-minute-walk test.

Am J Respir Crit Care Med. 2006;174(7): 803-9.

Lederer DJ, Arcasoy SM, Wilt JS, D'Ovidio F, Sonett JR, Kawut SM.

Six-minute-walk distance predicts waiting list survival in idiopathic pulmonary fibrosis.

Am J Respir Crit Care Med. 2006; 174(6): 659-64.

Frerichs I, Dargaville PA, van Genderingen H, Morel DR, Rimensberger PC.

Lung volume recruitment after surfactant administration modifies spatial distribution of ventilation.

Am J Respir Crit Care Med. 2006; 174(7): 772-9.

MECHANICAL VENTILATION

Baillard C, Fosse JP, Sebbane M, Chanques G, Vincent F, Courouble P, Cohen Y, Eledjam JJ, Adnet F, Jaber S.

Noninvasive ventilation improves preoxygenation before intubation of hypoxic patients.

Am J Respir Crit Care Med. 2006; 174(2): 171-7.

Johnson P.

Long-term mechanical ventilation in a critical care unit: existing in an uneveryday world.

J Adv Nurs. 2006; 53 (5): 551-8

Nicolai T.

The physiological basis of respiratory support.

Paed Resp Rev 2006; 7: 97-102.

MEDICATION

Hothersall E, McSharry C, Thomson NC.

Potential therapeutic role for statins in respiratory disease

Thorax, 2006; 61: 729-734.

Lannefors L.

Inhalation therapy: practical considerations for nebulisation therapy.

Phys Ther Rev. 2006; 11(1): 21-27.

Li AM, Tsang T, Wong E, Chan D, Sung R, Ng PC.

Bronchodilator effect of salbutamol from two different spacer devices.

Pediatr Pulmonol. 2006; 41: 326-330.

Montgomery G, Sagel SD, Taylor AL, Abman SH.

Effects of Sildenafil on pulmonary hypertension and exercise tolerance in severe cystic fibrosis-related lung disease.

Pediatr Pulmonol. 2006; 41: 383-385.

NEONATES

Baldwin DN, Pillow JJ, Stocks J, Frey U.

Lung-function tests in neonates and infants with chronic lung disease: tidal breathing and respiratory control.

Pediatr Pulmonol. 2006; 41: 391-419.

Ballard RA, Truog WE, Cnaan A, Martin RJ, Ballard PL, Merrill JD, Walsh MC, Durand DJ, Maycock DE, Eichenwald EC, Null DR, Hudak ML, Puri AR, Golombek SG, Courtney SE, Stewart DL, Welty SE, Phibbs RH, Hibbs AM, Luan X, Wadlinger SR, Asselin JM, Coburn CE.

Inhaled nitric oxide in preterm infants undergoing mechanical ventilation.

New Eng J Med. 2006; 355(4): 343-353.

Gappa M, Pillow JJ, Allen J, Mayer O, Stocks J.

Lung function tests in neonates and infants with chronic lung disease: lung and chest-wall mechanics.

Pediatr Pulmonol. 2006; 41: 291-317.

Kinsella JP, Cutter GR, Walsh WF, Gerstmann DR, Bose CL, Hart CH, Sekar KC, Auten RL, Bhutani VK, Gerdes JS, George TN, Southgate WM, Carriedo H, Couser RJ, Mammel MC, Hall DC, Pappagallo M, Sardesai S, Strain JD, Baier M, Abman SH.

Early inhaled nitric oxide therapy in premature newborns with respiratory failure.

New Eng J Med. 2006; 355(4): 354-364.

NEUROLOGICAL DISORDERS

Crowe J, Geddes EL, Brooks D, Reid D.

Inspiratory muscle training for individuals with 2006; cervical spinal cord injury or chronic obstructive pulmonary disease.

Physiotherapy Canada, 58(4): 271-279

DiMarco AF, Kowalski KE, Geertman RT, Hromyak DR.

Spinal cord stimulation: a new method to produce an effective cough in patients with spinal cord injury.

Am J Respir Crit Care Med. 2006; 173(12): 1386-9.

Dohna-Schwanke C, Ragette R, Teschler H, Voit T, Mellies U.

IPPB-assisted coughing in neuromuscular disorders.

Pediatr Pulmonol. 2006; 41: 551-557.

Nicot F, Hart N, Forin V, Boule M, Clement A, Polkey MI, Lofaso F, Fauroux B.

Respiratory muscle testing: a valuable tool for children with neuromuscular disorders.

Am J Respir Crit Care Med. 2006; 174(1): 67-74.

Lechtzin N, Shade D, Clawson L, Wiener CM.

Supramaximal inflation improves lung compliance in subjects with amyotrophic lateral sclerosis

Chest, 2006; 129: 1322-1329.

Simonds AK.

Recent advances in respiratory care for neuromuscular disease.

Chest, 2006; 130: 1879-1886.

NON-INVASIVE VENTILATION

Bach JR, Joshi JM.

Bilevel Pressure vs Volume Ventilators for amyotrophic lateral sclerosis patients.

Chest, 2006; 130: 1949-1950 (letter).

Baillard C, Fosse JP, Sebbane M, Chanques G, Vincent F, Courouble P, Cohen Y, Eledjam JJ, Adnet F, Jaber S.

Noninvasive ventilation improves preoxygenation before intubation of hypoxic patients.

Am J Respir Crit Care Med. 2006; 174(2): 171-7.

Ferrer M, Valencia M, Nicolas JM, Bernadich O, Badia JR, Torres A.

Early noninvasive ventilation averts extubation failure in patients at risk: a randomized trial.

Am J Respir Crit Care Med. 2006; 173(2):164-70.

Moerer O, Fisher S, Quintel M.

Influence of two interfaces for noninvasive ventilation compared to invasive ventilation on the mechanical properties and performance of a respiratory system.

Chest, 2006; 129, 1424-1431 (see also editorial).

Nava S, Cuomo A, Maugeri FS.

Noninvasive ventilation and dyspnea in palliative medicine

Chest, 2006; 129: 1391-1392 (letter).

Peter JV, Moran JL, Phillips-Hughes J, Graham P, Bersten AD.

Effect of non-invasive positive pressure ventilation (NIPPV) on mortality in patients with acute cardiogenic pulmonary oedema: a meta-analysis.

Lancet. 2006; 367(9517): 1155-63. .

Petty T, Windisch W, Soricther S.

CO₂ can be good for you!

Chest, 2006; 129: 494-495 (letter).

Piper AJ, Moran FM.

Non-invasive ventilation and the physiotherapist: current state and future trends.

Phys Ther Rev 2006; 11(1): 37-43.

Quinnell TG, Pilsworth S, Shneerson JM.

Prolonged invasive ventilation following acute ventilatory failure in COPD: weaning results, survival, and the role of noninvasive ventilation

Chest, 2006; 129: 133-139

Schneider E, Duale C, Vaille JL, Ouchchane L, Gillart T, Guelon D, Schoeffler P.

Comparison of tolerance of facemask vs. mouthpiece for non-invasive ventilation.

Anaesthesia. 2006; 61(1): 20-3.

Schönhofer B, Polkey MI, Suchi S.

Effect of home mechanical ventilation on inspiratory muscle strength in COPD.

Chest, 2006; 130: 1834-1838.

OBSTRUCTIVE SLEEP APNOEA

Kaw R, Michota R, Jaffer A, Ghamande S.

Unrecognized sleep apnea in the surgical patient: implications for the perioperative setting.

Chest, 2006; 129: 198-205.

Puhan MA, Suarez A.

Didgeridoo playing as alternative treatment for obstructive sleep apnoea syndrome: randomised controlled trial

BMJ, 2006; 332: 266-270

Senn O, Brack T, Russi EW, Bloch KEK.

A Continuous Positive Airway Pressure trial as a novel approach to the diagnosis of the obstructive sleep apnea.

Chest, 2006; 129: 67-75.

West SD, Jones SR, Stradling JR.

Comparison of three ways to determine and deliver pressure during nasal CPAP therapy for obstructive sleep apnoea

Thorax, 2006; 61: 226-231.

Zimmerman ME, Arnedt JT, Stanchina M.

Normalization of memory performance and positive airway pressure adherence in memory-impaired patients with obstructive sleep apnea.

Chest, 2006; 130: 1772-1778.

OXYGEN THERAPY

Croxton TL, Bailey WC.

Long-term oxygen treatment in chronic obstructive pulmonary disease: recommendations for future research: an NHLBI workshop report.

Am J Respir Crit Care Med. 2006; 174(4): 373-8.

Hui DS, Ip M, Tang JW.

Airflows around oxygen masks: a potential source of infection?

Chest, 2006; 130: 822-826.

O'Neill B, Dodd ME.

Oxygen on the move: practical considerations for physiotherapists.

Phys Ther Rev 2006; 11(1): 28-36.

PAEDIATRICS

(see also: Asthma)

(see also: Neonates)

Birnkrant DJ.

New challenges in the management of prolonged survivors of pediatric neuromuscular diseases: a pulmonologist's perspective.

Pediatr Pulmonol. 2006; 41: 1113-1117.

Bisgaard H, Hermansen MN, Loland L, Halkjaer LB, Buchvald F.

Intermittent inhaled corticosteroids in infants with episodic wheezing.

New Eng J Med. 2006; 354(19): 1998-2005.

Cambonie GC, Milési C.

Clinical effects of Heliox administration for acute bronchiolitis in young infants.

Chest, 2006; 129: 676-682.

Marchant JM, Masters IB, Taylor SM.

Evaluation and outcome of young children with chronic cough.

Chest, 2006; 129, 1132-1141

Morrow B, Futter M, Argent A.

Effect of endotracheal suction on lung dynamics in mechanically-ventilated paediatric patients.

Aust J Phys. 2006; 52 (2): 121-126.

Nicot F, Hart N, Forin V, Boule M, Clement A, Polkey MI,

Lofaso F, Fauroux B.

Respiratory muscle testing: a valuable tool for children with neuromuscular disorders.

Am J Respir Crit Care Med. 2006; 174(1): 67-74.

Pantalitschka T, Poets CF.

Inhaled drugs for the prevention and treatment of bronchopulmonary dysplasia.

Pediatr Pulmonol. 2006; 41: 703-708.

Riethmueller J, Borth-Bruhns T, Kumpf M, Vonthein R,

Wiskirchen J, Stern M, Hofbeck M, Baden W.

Recombinant Human Deoxyribonuclease shortens ventilation time in young, mechanically ventilated children.

Pediatr Pulmonol. 2006; 41: 61-66.

Smyth RL, Openshaw PJ.

Bronchiolitis.

Lancet. 2006; 368(9532): 312-22.

Trachsel D, Hammer J.

Indications for tracheostomy in children.

Paed Resp Rev 2006; 7: 162-168.

Webber SA, McCurry K, Zeevi A.

Heart and lung transplantation in children.

Lancet. 2006 ;368(9529):53-69.

PALLIATIVE CARE

Nava S, Cuomo A, Maugeri FS.

Noninvasive ventilation and dyspnea in palliative medicine

Chest, 2006; 129: 1391-1392 (letter).

Thompson G

Nurses' perceptions of quality end-of-life care on an acute medical ward.

J Adv Nurs. 2006; 53 (2): 169-77

PHYSIOLOGY

Sly PD, Collins RA.

Physiological basis of respiratory signs and symptoms.

Paed Resp Rev 2006; 7: 84-88.

Nicolai T.

The physiological basis of respiratory support.

Paed Resp Rev 2006; 7: 97-102.

PRIMARY CILIARY DYSKINESIA

Bush A, Payne D, Pike S, Jenkins G, Henke MO, Rubin BK.

Mucus properties in children with primary ciliary dyskinesia: comparison with cystic fibrosis

Chest, 2006; 129: 118-123.

PULMONARY REHABILITATION

Birnbaum S, Carlin B.

Pulmonary rehabilitation and respiratory therapy services in the physician office setting

Chest, 2006; 129: 169-173.

Garrod R, Backley J.

Community-based pulmonary rehabilitation: meeting demand in chronic obstructive pulmonary disease.

Phys Ther Rev 2006; 11(1): 57-61.

Güell R, Resqueti V, Sangenis M.

Impact of pulmonary rehabilitation on psychosocial morbidity in patients with severe COPD.

Chest, 2006; 129: 899-904.

Nici L, Donner C, Wouters E, Zuwallack R, Ambrosino N, Bourbeau J, Carone M, Celli B, Engelen M, Fahy B, Garvey C, Goldstein R, Gosselink R, Lareau S, MacIntyre N, Maltais F, Morgan M, O'Donnell D, Prefault C, Reardon J, Rochester C, Schols A, Singh S, Troosters T; ATS/ERS Pulmonary Rehabilitation Writing Committee.

American Thoracic Society/European Respiratory Society statement on pulmonary rehabilitation.

Am J Respir Crit Care Med. 2006 Jun 15;173(12):1390-413.

Sewell L, Singh SJ, Williams JEA, Collier R, Morgan MDL.

How long should outpatient pulmonary rehabilitation be? A randomised controlled trial of 4 weeks versus 7 weeks

Thorax, 2006; 61: 767-771.

RESPIRATORY DISEASE

Bradley JM.

Respiratory Disease.

Phys Ther Rev. 2006; 11(1): 3-4.

Campbell IA, Bah-Sow O.

Pulmonary tuberculosis

BMJ, 2006; 332: 1194-1197

Kingsnorth A, O'Reilly D.

Acute pancreatitis

BMJ, 2006; 332: 1072-1076

RESPIRATORY PHYSIOTHERAPY

Crowe J, Rayczak J, Elms B.

Safety and effectiveness of breath stacking in management of persons with acute atelectasis.

Physiotherapy Canada, 2006; 58(4): 306-314

SEPSIS

Danai CA, Moss M, Mannino DM, Martin GS.

The epidemiology of sepsis in patients with malignancy.

Chest, 2006; 129: 1432-1440.

Hamdulay SS, Al-Khafaji A, Montgomery H.

Glucose-insulin and potassium infusions in septic shock.

Chest, 2006; 129: 800-804.

Otero RM, Nguyen HB, Huang DT.

Early goal-directed therapy in severe sepsis and septic shock revisited.

Chest, 2006; 130: 1579-1595.

Trzeciak S, Dellinger RP, Abate NL.

Translating research to clinical practice: a 1-year experience with implementing early goal-directed therapy for septic shock in the emergency department.

Chest 2006; 129: 225-232.

SPUTUM CLEARANCE

Marques A, Bruton A, Barney A.

Clinically useful outcome measures for physiotherapy airway clearance techniques: a review.

Phys Ther Rev. 2006 11(4): 299-307.

McCarren B, Alison JA, Herbert RD.

Vibration and its effect on the respiratory system.

Aust J Phys. 2006; 52 (1): 39-43.

Naylor JM, McLean A, Chow CM, Heard R, Ting I, Avolio A.

A modified postural drainage position produces less cardiovascular stress than a head-down position in patients with severe heart disease: A quasi-experimental study.

Aust J Phys. 2006; 52(3): 201-209.

Pasquina P, Tramèr MR, Granier J-M, Walder B.

Respiratory physiotherapy to prevent pulmonary complications after abdominal surgery: a systematic review.

Chest, 2006; 130: 1887-1899.

Pryor JA.

Airway Clearance in the spontaneously breathing adult – the evidence.

Phys Ther Rev. 2006; 11(1): 5-10.

SURGERY

Al-Ruzzeh S, George S, Bustami M, Wray J.
Effect of off-pump coronary artery bypass surgery on clinical, angiographic, neurocognitive, and quality of life outcomes
BMJ, 2006; 332: 1365

Ferguson Js, Sprenger K, Natta T Van.
Closure of a bronchopleural fistula using bronchoscopic placement of an endobronchial valve
Chest, 2006; 129: 479-481.

Ledowski T, Hilmi S, Paech MJ.
Bronchial mucus transport velocity in patients receiving anaesthesia with propofol and morphine or propofol and remifentanyl.
Anaesthesia. 2006; 61(8): 747-51.

Wallenborn J, Gelbrich G, Bulst D.
Prevention of postoperative nausea and vomiting by metoclopramide combined with dexamethasone
BMJ, 2006; 333: 324

Wan IWP, Toma TP, Geddes DM.
Bronchoscopic lung volume reduction for end-stage emphysema.
Chest, 2006; 129: 518-526.

Wang JS, Abboud RT.
Effect of lung resection on exercise capacity and on carbon monoxide diffusing capacity during exercise.
Chest, 2006; 129: 863-872.

TRACHEOSTOMY

Eber E, Oberwaldner B..
Tracheostomy care in the hospital.
Paed Resp Rev 2006; 7: 175-184.

Girard F, Chouinard P, Boudreault D
Prevalence and impact of pain on the quality of life of lung transplant recipients.
Chest, 2006; 130: 1535-1540.

Oberwaldner B, Eber E.
Tracheostomy care in the home.
Paed Resp Rev 2006; 7: 185-190.

Trachsel D, Hammer J.
Indications for tracheostomy in children.
Paed Resp Rev 2006; 7: 162-168.

TRANSPLANTATION

Barbour KA, Blumenthal JA, Palmer SM.
Psychosocial issues in the assessment and management of patients undergoing lung transplantation.
Chest, 2006; 129: 1367-1374.

Webber SA, McCurry K, Zeevi A.
Heart and lung transplantation in children.
Lancet. 2006; 368(9529): 53-69.

WEANING

Blackwood B, Wilson-Barnett J, Patterson CC, Trinder TJ, Lavery GG.
An evaluation of protocolised weaning on the duration of mechanical ventilation.
Anaesthesia. 2006; 61(11):1079-86.

Ferrer M, Valencia M, Nicolas JM, Bernadich O, Badia JR, Torres A.
Early noninvasive ventilation averts extubation failure in patients at risk: a randomized trial.
Am J Respir Crit Care Med. 2006; 173(2):164-70

Lellouche F, Mancebo J, Jolliet P, Roeseler J, Schortgen F, Dojat M, Cabello B, Bouadma L, Rodriguez P, Maggiore S, Reynaert M, Mersmann S, Brochard L.
A multicenter randomized trial of computer-driven protocolized weaning from mechanical ventilation.
Am J Respir Crit Care Med. 2006; 174(8): 894-900.

Quinnell TG, Pilsworth S, Shneerson JM.
Prolonged invasive ventilation following acute ventilatory failure in COPD: weaning results, survival, and the role of noninvasive ventilation
Chest, 2006; 129: 133-139.

Rose L.
Issues in weaning from mechanical ventilation: literature review.
J Adv Nurs. 2006; 54 (1): 73-85

Frutos-Vivar F, Ferguson ND, Esteban A.
Risk factors for extubation failure in patients following a successful spontaneous breathing trial.
Chest, 2006; 130: 1664-1671.